

Reg No.	Test No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/26	Final Wt. 2/13	ADG lbs	Fleece Yield (%)	Fleece Clean Wt.	Fiber Diameter, microns	Core AFD	CV	Side Britch (%)	Scores Face Cover	Belly Wool	Body Folds	Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Ribeye Index Ratio				
Pen 1 Landers Ranch, MENARD Sire:TAES 7003																										
Reg	2	695	2/	.1 TW	4	132	264	.94	.87	25.9	43.3	11.2	5.4	21.7	17.8	22.6	25.5	2.5	1.0	1.9	1.3	40.5	.39	3.81	127.12	102.5
Pen 2 Henson, Don, GOLDTHWAITE Sire:S MENZIES 866																										
Reg	5	763	12/	.0 S	4	147	278	.94	.86	27.0	46.9	12.7	5.0	23.7	20.3	24.0	26.1	9.2	1.0	1.0	1.4	40.5	.35	3.69	122.02	106.2
Pen 3 Schunke Ranch, GOLDTHWAITE Sire:C&S MENZIES 2454																										
Reg	6	1023	4/15/1		3	119	243	.89	.83	21.4	50.2	10.7	5.4	22.1	25.8	22.5	23.3	4.6	1.0	1.1	1.5	34.0	.39	3.31	111.91	90.2
Reg	7	1536	11/15/0		6	151	267	.83	.78	18.1	51.2	9.3	4.9	22.4	18.8	23.2	25.3	3.4	0.9	1.4	1.3	40.0	.43	4.00	108.90	94.7
Sire:S MENZIES 959																										
Reg	8	1088	1/14/1		4	151	293	1.01	.95	23.2	43.7	10.1	4.7	21.9	23.5	22.9	24.3	4.5	1.1	1.2	1.2	40.2	.35	3.25	117.29	94.5
Sire:WB 2222																										
Reg	9	1527	11/	6/0	5	162	275	.81	.76	17.9	47.7	8.5*	4.3	24.8*	22.3	25.1*	30.3*13.6	1.2	1.0	1.1	42.0	.30	3.56	90.71	78.9	
Reg	10	1534	11/12/0		6	167	280	.81	.74	24.0	45.5	10.9	4.6	25.5*	22.7	27.2*	32.4*18.1	1.0	1.0	1.4	40.2	.43	3.44	99.49	86.6	
Pen 4 Hellwig Rambouillets, SILOAM SPRINGS, AR Sire:P ROSE R4167																										
Reg	11	574	2/16/1	TW	6	149	287	.99	.91	28.4	49.8	14.2	5.6	25.6*	26.0	26.3*	29.2*18.9	0.9	1.1	2.4	37.0	.39	2.88	122.02	98.3	
Reg	12	575	2/16/1	TW	6	142	266	.89	.82	24.7	49.3	12.2	5.4	24.1*	20.8	25.1*	26.9	11.7	1.5	1.0	2.4	33.3	.35	3.56	117.37	94.6
Sire:TAES 6880																										
Reg	13	587	2/19/1	TR	3	146	277	.94	.86	25.9	47.2	12.2	5.4	20.8	25.7	21.0	25.4	2.5	1.1	2.9	1.6	33.9	.39	3.19	123.87	99.8
Reg	14	609	2/28/1	TR	7	147	278	.94	.86	27.6	49.6	13.7	5.4	22.5	20.3	22.9	25.1	4.2	0.9	1.3	1.4	35.2	.43	2.81	131.16	105.7
Pen 5 Hill Country Rambouillet, SONORA Sire:B FARIS 388																										
Reg	15	604	2/	.1 TW	6	145	259	.81	.76	19.3	50.6	9.8	5.2	21.8	20.9	22.0	25.2	4.5	1.0	2.4	1.0	37.3	.52	3.19	110.17	88.8
Reg	16	613	1/	.1 S	4	171	318	1.05	.98	25.1	50.8	12.8	5.0	23.4	20.8	24.3	26.5	7.9	1.6	1.7	1.1	38.5	.52	4.06	129.98	104.8
Reg	17	633	1/	.1 S	5	195	333	.99	.93	18.6	46.5	8.7*	5.5	20.7	17.6	22.3	25.9	1.6	0.9	2.5	1.0	39.3	.65	3.50	124.13	100.0
Pen 6 Angelo State Univ., SAN ANGELO Sire:ASU 5131																										
Reg	18	5188	W 3/11/1	S	5	152	292	1.00	.94	21.8	49.3	10.7	4.9	22.6	27.2	23.5	26.9	4.4	1.0	1.4	1.2	30.5	.48	3.06	114.77	92.5
Sire:ASU 5223																										
Reg	19	5460	G 3/	6/1 S	2	146	256	.79	.71	26.0	47.0	12.2	5.7	22.9	19.7	22.5	26.9	7.0	2.9*	1.2	1.2	34.0	.43	2.56	116.46	93.9

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e g No.	Test Flock No.	Birth date	Birth type	Start of Dam	Final Wt. 9/26	Final Wt. 2/13	ADG		Fleece		Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio			
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch (%)	PF Cover						Face Wool	Belly Folds	Body cm.

Pen 7 Jones, Travis, FREDERICKSBURG																									
Sire:F KLEIN 161																									
RegP	20	130	3/ 6/1	S 2	105	212	.76	.71	18.2	53.7	9.8	4.8	23.4	17.2	23.9	26.4	6.5	1.0	1.0	3.8	31.3	.52	2.88	104.64	84.3
Sire:T.JONES 8-21																									
Reg	21	125	3/ 3/1	TW 2	111	224	.81	.75	18.9	56.5	10.7	6.0	22.3	17.2	23.6	27.2	3.0	1.6	1.1	1.5	31.2	.43	2.75	116.79	94.1
RegP	22	126	3/ 3/1	S 2	93*	184*	.65	.61	16.1	53.6	8.6*	5.6	21.6	17.9	22.1	25.7	1.8	1.0	1.3	2.7	33.0	.35	3.25	101.75	82.0
Reg	23	144	3/12/1	TW 3	121	253	.94	.88	21.1	52.5	11.0	4.9	22.3	19.3	23.1	24.3	3.0	1.5	1.1	2.5	35.3	.39	2.94	122.22	98.5
Reg	24	145	3/16/1	S 5	124	266	1.01	.96	19.5	53.4	10.4	4.2	22.7	20.5	23.6	26.9	3.6	0.9	1.1	2.7	37.2	.39	3.25	118.67	95.6
Pen 8 RJ + W Rose Liv., DEL RIO																									
Sire:RJ+W ROSE 2015																									
Reg	25	2127	3/ ./1	TW 2	139	272	.95	.87	27.1	43.4	11.7	4.9	23.6	18.1	24.7	27.1	6.7	3.4*	1.5	1.3	35.9	.43	3.75	121.89	98.2
Reg	26	2128	3/ ./1	TW 3	148	278	.93	.87	22.7	38.9	8.9*	4.7	22.0	23.5	22.3	25.3	3.3	1.1	1.3	1.2	40.0	.35	3.13	106.80	86.1
Pen 11 Campbell, Fred, PAINT ROCK																									
Sire:FRC 5399																									
Reg	27	5906	2/14/1	S .	128	262	.96	.89	25.2	57.1	14.4	5.6	21.7	19.8	23.8	25.7	2.8	1.0	1.1	2.5	35.2	.35	3.25	139.31	112.3
Reg	28	5908	2/14/1	TW .	163	278	.82	.75	26.5	51.6	13.7	5.4	23.0	21.2	22.9	24.0	7.3	1.0	1.6	1.5	36.0	.43	3.44	122.14	98.4
Reg	29	5924	2/27/1	S .	155	263	.77	.71	22.6	53.6	12.1	5.5	22.6	15.6	23.1	24.3	3.2	1.5	1.3	1.4	33.0	.43	3.13	118.90	95.8
Pen 12 Texas Ramb. Sup. Gen.(TRSG), SAN ANGELO																									
Sire:FRC 5399																									
Reg	30	5911	2/14/1	TW .	158	270	.80	.74	22.5	49.5	11.1	5.8	22.9	20.5	24.8	25.8	4.4	1.0	1.2	1.2	34.5	.39	3.56	112.61	90.8
Sire:ASU 5324																									
Reg	31	289	2/25/1	S 2	159	287	.91	.85	22.2	43.6	9.7	5.3	20.2	17.3	21.7	22.6	0.6	1.0	1.5	1.3	34.3	.52	3.19	124.05	100.0
Reg	32	334	4/10/1	S 2	114	242	.91	.85	21.5	44.7	9.6	5.1	21.9	18.2	23.3	24.6	3.3	1.0	1.5	1.3	32.0	.35	3.19	117.92	95.0
Sire:B FARIS 388																									
Reg	33	622	1/ ./1	4	165	334	1.21	1.14	25.8	42.9	11.0	5.0	22.0	19.0	23.3	25.5	2.9	0.9	1.7	1.2	38.2	.69	3.56	138.73	111.8
Sire:S MENZIES 934																									
Reg	34	287	2/25/1	S 2	133	250	.84	.79	17.3	43.1	7.5*	4.5	20.5	19.6	20.7	22.4	2.1	1.0	1.5	1.3	37.5	.43	3.19	105.15	84.7
Reg	35	294	2/25/1	S 2	160	293	.95	.90	18.0	36.6	6.6*	4.0	20.1	29.7	20.8	21.8	1.7	0.9	2.6	1.1	37.0	.56	3.50	99.83	80.5
Reg	36	314	2/25/1	S 2	119	255	.97	.90	25.0	47.7	11.9	5.2	23.3	18.8	23.4	27.6	3.3	1.8	1.8	1.5	36.3	.56	3.25	125.46	101.1
Sire:TAES 6808																									
Reg	37	7456	3/ ./1	.	124	271	1.05	.97	27.5	49.7	13.6	5.8	20.9	24.1	21.6	24.5	2.4	1.0	1.9	1.5	38.0	.43	3.19	138.28	111.4
Sire:TAES 7003																									
Reg	38	669	2/ ./1	S 3	159	290	.94	.86	28.4	39.4	11.2	5.1	21.6	20.2	22.1	23.2	3.2	1.0	1.1	1.2	35.9	.52	3.31	122.85	99.0
Reg	39	684	2/ ./1	S 4	163	272	.78	.72	21.2	49.3	10.4	4.5	22.0	21.3	23.2	24.0	3.7	3.1*	1.9	1.1	37.2	.48	3.25	106.37	85.7
Pen 14 Bradford, Maurice, SAN ANGELO																									
Sire:M.BRADFORD 0242																									
Reg	40	0075	1/ ./1	S 2	187	316	.92	.86	22.9	43.2	9.9	4.3	21.8	19.1	22.1	25.2	3.0	1.0	1.1	1.1	41.3	.56	4.00	115.31	92.9

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e g No.	Flock No.	Birth date	Age Birth of type	Start Dam	Final Wt. 9/26	Wt. 2/13	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM Index	Index Ratio				
							Total	Body	Gr.	Yield	Clean	Stap.	Core	AFD	CV	Side	Britch	PF						Face	Belly	Body	

Pen 9 TAES, Barnhart, SAN ANGELO																											
Sire:TAES B2788																											
Reg	41	3280	2/	./1	4	115	250	.96	.89	26.2	52.0	13.6	5.6	24.1*	21.9	23.9	26.5	9.5	1.0	1.0	1.9	34.3	.35	3.19	126.37	101.8	
Sire:TAES 6863																											
Reg	43	3302	2/	./1	3	125	273	1.06	.98	28.0	48.7	13.6	5.5	20.4	19.4	21.6	23.2	1.4	1.0	1.0	2.8	32.9	.48	3.19	146.13	117.8	
Sire:TAES B2856																											
Reg	44	3366	3/	./1	2	121	240	.85	.78	23.5	51.1	12.0	6.4	20.5	19.1	21.3	22.4	1.3	1.0	1.2	1.1	35.0	.48	3.31	128.12	103.3	
Sire:TAES 6863																											
Reg	45	3328	3/	./1	5	149	264	.82	.75	25.9	42.5	11.0	4.6	20.3	17.1	20.8	22.9	0.9	1.1	1.2	2.2	33.4	.43	3.56	120.17	96.8	
Sire:TAES B2888																											
Reg	46	3331	3/	./1	4	120	269	1.06	.99	26.7	46.8	12.5	5.4	20.6	17.3	21.0	23.6	1.1	1.0	1.2	1.9	36.1	.52	3.50	143.04	115.3	
Sire:TAES B2856																											
Reg	47	3340	3/	./1	4	130	271	1.01	.92	29.6	43.2	12.8	6.2	20.7	15.6	21.9	21.9	0.5	1.0	1.2	1.4	33.8	.39	3.63	140.32	113.1	
Sire:TAES 6863																											
Reg	48	3395	3/	./1	8	125	270	1.04	.95	30.1	45.7	13.7	5.6	23.2	19.6	23.4	26.2	6.0	0.9	1.0	2.0	36.5	.48	3.75	136.31	109.9	

Pen 36 TAES, Sonora, SONORA																											
Sire:TAES 6808																											
Reg	49	7357	2/	./1	S	2	111	234	.88	.81	26.5	54.0	14.3	5.4	21.3	16.9	21.8	23.0	1.7	1.2	1.0	3.4	35.0	.30	3.19	137.02	110.4
Reg	50	7358	2/	./1	TW	5	101	270	1.21	1.13	27.5	49.3	13.6	5.5	20.4	23.8	20.9	24.4	2.4	2.0	1.4	3.5	38.0	.39	3.00	149.25	120.3
Reg	51	7362	2/	./1	S	4	139	247	.77	.71	23.4	47.3	11.1	5.5	19.9	24.2	19.4	22.0	1.5	1.0	1.6	1.3	29.0	.43	3.19	114.94	92.6
Reg	52	7363	2/	./1	S	4	136	278	1.01	.94	25.5	50.7	12.9	5.9	20.2	19.2	20.1	21.9	0.8	0.5	2.0	1.3	33.2	.43	3.69	141.83	114.3
Reg	53	7480	3/	./1	TW	3	100	245	1.04	.96	25.8	50.5	13.0	5.8	20.8	18.8	21.5	22.3	1.4	0.4	1.5	3.1	32.2	.39	3.13	142.34	114.7
Sire:TAES 6987																											
Reg	54	7346	2/	./1	TW	4	109	255	1.04	.99	19.7	50.0	9.8	5.0	19.4	18.2	19.7	22.1	0.6	0.7	1.3	1.9	37.0	.43	3.50	132.45	106.7
Reg	55	7380	2/	./1	S	3	119	246	.91	.85	22.0	51.5	11.4	5.3	21.6	21.8	21.7	23.3	3.2	1.0	1.5	1.3	35.2	.35	3.50	121.45	97.9
Reg	56	7411	2/	./1	TW	3	120	256	.97	.92	19.8	49.3	9.8	5.4	20.9	19.3	22.2	22.6	1.4	1.2	1.6	1.4	33.3	.35	3.06	125.24	100.9
Reg	57	7423	2/	./1	TW	2	101	251	1.07	1.01	22.1	50.4	11.2	5.5	19.9	19.9	21.1	22.5	1.2	1.0	1.8	1.2	36.0	.35	3.56	138.86	111.9
Reg	58	7424	2/	./1	TW	2	122	261	.99	.93	21.8	49.6	10.8	5.5	21.2	21.6	22.5	24.1	1.4	0.7	2.2	1.2	34.5	.39	3.31	126.86	102.2
Reg	59	7427	2/	./1	S	4	106	251	1.04	.98	20.2	50.4	10.1	5.5	18.7	21.5	18.7	19.3	4.7	1.2	2.6	1.1	34.1	.39	2.69	130.99	105.6
Reg	60	7429	2/	./1	S	4	136	257	.86	.80	21.6	45.1	9.7	4.8	20.5	19.2	21.4	24.1	1.6	1.0	1.2	1.2	32.1	.39	3.25	117.26	94.5
Sire:TAES 7023																											
Reg	62	7339	2/	./1	S	3	145	296	1.08	1.01	25.0	48.8	12.2	4.8	22.8	18.8	22.9	26.0	5.4	1.0	1.6	1.5	33.5	.61	3.88	133.25	107.4
Reg	63	7450	3/	./1	S	3	122	250	.91	.84	27.6	46.8	12.9	4.7	21.9	20.5	22.0	23.7	0.7	1.3	1.2	2.7	34.2	.52	3.69	125.33	101.0
Sire:TAES 7118																											
Reg	64	7372	2/	./1	TW	6	131	279	1.06	.99	25.9	42.5	11.0	4.7	21.3	22.1	22.0	23.1	3.7	1.0	2.0	1.4	33.8	.35	3.31	126.44	101.9
Reg	65	7416	2/	./1	TW	3	123	273	1.07	1.00	25.3	40.3	10.2	5.4	21.4	17.1	22.2	23.6	1.9	1.0	2.7	1.6	37.3	.52	3.06	131.74	106.2
Reg	66	7445	3/	./1	S	6	124	257	.95	.86	31.1	43.3	13.4	5.8	21.1	18.8	21.2	23.8	1.6	1.1	1.2	1.6	37.2	.35	3.00	136.90	110.3

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

2001-2002 Texas A&M, Sonora Central Ram Performance Test FINAL Report

March 14, 2002

R e Test g No.	Flock No.	Birth date	Age Birth of type	Final Wt. 9/26	Final Wt. 2/13	ADG		Fleece		Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM Index	Fat Index					
						Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core	PF	Face	Belly	Body										

Pen 37 Jernigan Ranch, IRAAN																										
Sire:M JERNIGAN 5650																										
Reg 67	8473	3/	./1	.	133	262	.92	.85	24.8	44.6	11.0	5.3	23.7	19.9	23.7	27.0	9.0	1.0	1.1	1.3	33.5	.56	3.31	116.72	94.1	
Reg 69	8508	3/	./1	.	140	264	.89	.81	26.0	46.5	12.1	4.9	22.0	19.9	21.8	23.8	3.1	1.0	1.0	2.7	36.0	.43	3.56	122.21	98.5	
Reg 71	8557	3/	./1	.	132	265	.95	.89	21.1	48.5	10.2	5.7	20.5	20.0	20.1	21.1	1.6	1.0	1.2	1.8	36.6	.43	3.69	126.22	101.7	
Reg 72	8678	3/	./1	.	98*	219	.86	.80	23.2	49.9	11.6	5.4	24.8*	20.3	25.7*	28.8*14.5	1.0	1.0	1.3	36.2	.39	3.50	112.53	90.7		
Reg 73	8766	3/	./1	.	110	255	1.04	.95	31.4	54.1	17.0	6.4	22.2	17.2	23.9	25.7	2.8	1.2	1.3	2.2	34.1	.35	3.19	153.95	124.1	
Sire:M JERNIGAN 6968																										
Reg 74	9195	3/	./1	.	106	233	.91	.84	25.8	56.5	14.5	6.4	24.0*	20.0	23.7	26.3	11.0	1.5	1.1	3.7	32.8	.35	2.69	129.62	104.5	
Reg 75	9259	3/	./1	.	120	237	.84	.76	27.1	48.6	13.2	5.4	24.3*	17.3	24.5	26.7	10.2	1.1	1.1	2.0	35.0	.39	3.31	120.48	97.1	
Reg 76	9316	3/	./1	.	121	262	1.01	.95	22.2	50.3	11.1	5.7	23.7	21.4	24.0	26.4	4.9	0.6	1.1	1.1	32.0	.39	3.38	121.74	98.1	
Reg 77	9323	3/	./1	.	115	254	.99	.92	26.3	47.4	12.5	6.4	22.4	20.1	24.4	27.0	5.1	0.9	1.2	2.0	33.2	.43	3.50	131.05	105.6	
Reg 78	9324	3/	./1	.	128	276	1.06	.98	26.3	50.2	13.2	6.0	21.7	17.8	21.9	24.4	2.9	0.9	1.1	1.6	36.3	.43	3.06	142.38	114.7	
Reg 79	9382	3/	./1	.	120	227	.76	.69	28.2	56.3	15.9	5.8	24.3*	18.0	23.6	25.2	10.9	1.8	1.0	2.3	36.4	.39	2.63	127.57	102.8	
Sire:M JERNIGAN 2367																										
Reg 80	9419	3/	./1	.	118	219	.72	.67	17.0	57.5	9.8	5.5	21.0	17.4	20.8	24.5	1.2	1.0	1.9	1.0	34.3	.35	3.69	112.30	90.5	
Reg 81	9460	3/	./1	.	113	254	1.01	.93	27.2	48.9	13.3	5.1	22.9	21.0	23.3	24.5	4.6	1.0	1.6	2.6	32.5	.35	3.38	130.71	105.3	
Reg 82	9567	3/	./1	.	105	242	.98	.92	22.6	52.4	11.8	6.9	20.8	17.2	20.5	23.1	0.8	1.0	1.5	1.4	29.6	.52	3.63	135.50	109.2	
Reg 83	9674	3/	./1	.	119	253	.96	.87	29.9	51.0	15.3	5.6	22.9	18.0	24.6	26.0	5.3	2.9*	1.1	4.0	34.9	.39	3.19	140.40	113.2	

Pen 15 Gainer Ranch, MENARD																										
Sire:MSC 1851																										
Reg 84	1099	2/	7/1	S	3	138	282	1.03	.97	22.6	42.1	9.5	4.8	23.9*	20.2	25.7*	29.3*	9.8	2.0	1.1	1.6	34.1	.48	3.31	114.53	92.3
Reg 85	1138	3/	11/1	TW	2	111	254	1.02	.98	15.7	56.4	8.8*	5.0	21.2	17.5	21.4	24.2	1.7	2.7*	1.7	1.1	34.5	.48	3.56	124.14	100.0
Sire:S MENZIES 865																										
Reg 86	1093	2/	3/1	TR	4	133	259	.90	.85	19.7	55.3	10.9	6.1	21.1	19.2	21.0	22.8	2.0	2.6	2.9	1.3	33.9	.43	3.63	125.29	101.0
Reg 87	1094	2/	3/1	TR	4	144	273	.92	.87	19.3	44.1	8.5*	5.1	21.9	20.9	23.1	27.2	3.6	1.0	1.6	1.1	38.5	.52	3.81	111.03	89.5
Reg 88	1096	2/	4/1	TW	4	128	264	.97	.90	26.9	50.4	13.5	5.9	23.5	23.3	24.3	28.5*	7.4	1.0	1.3	1.5	39.0	.43	3.00	126.69	102.1
Reg 89	1109	2/	15/1	TW	7	125	268	1.02	.96	20.8	43.6	9.1	5.9	23.9*	18.6	26.5*	28.8*	4.9	1.0	1.3	1.0	35.5	.43	3.81	117.38	94.6
Reg 90	1119	2/	19/1	TW	2	125	264	.99	.93	21.1	53.8	11.4	5.7	21.2	18.8	22.2	24.5	2.9	2.2	2.6	1.4	38.1	.43	3.56	132.42	106.7
Reg 91	1121	2/	19/1	TW	4	145	302	1.12	1.06	20.8	46.0	9.6	4.1	24.3*	26.4	25.6*	29.1*11.1	2.1	2.0	1.2	37.2	.43	3.75	109.55	88.3	
Reg 92	1123	2/	19/1	TW	3	144	278	.96	.90	22.3	49.6	11.1	5.4	21.8	22.2	21.9	24.5	4.1	1.0	2.0	1.1	34.8	.43	4.00	122.54	98.8
Reg 93	1141	3/	11/1	S	3	142	276	.96	.91	16.3	51.4	8.4*	5.3	22.2	17.6	22.1	25.2	2.8	1.3	3.4	.	38.0	.52	3.88	116.65	94.0
Reg 94	1145	2/	18/1	TW	8	130	262	.94	.88	22.0	52.8	11.6	5.0	23.2	16.5	22.4	25.3	4.9	1.0	1.7	1.3	33.5	.48	3.56	123.36	99.4

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

2001-2002 Texas A&M, Sonora Central Ram Performance Test FINAL Report

March 14, 2002

R e Test g No.	Flock No.	Age Birth date	Start Birth type	Final Wt. 9/26	ADG Wt. 2/13	Total Body		Fleece		Fiber Diameter, microns				Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM Index	Index Ratio					
						lbs	lbs	Gr. Wt.	Yield (%)	Stap. Wt.	len.	Core AFD	CV	Side	Britch (%)	Face Cover						Belly Wool	Body Folds			
Pen 32 Our Father's Place, Moore, FT. STOCKTON																										
Sire:OFP 809																										
Com 95	0140	3/	./1	.	121	277	1.11	1.04	25.2	51.2	12.9	5.9	20.4	18.1	20.9	22.2	0.8	0.9	1.1	1.7	35.2	.30	3.88	148.59	119.8	
Com 96	0144	3/	./1	.	124	279	1.11	1.04	24.8	46.0	11.4	6.5	19.1	18.0	20.0	21.5	0.5	0.6	1.0	.	39.9	.	.	143.82	115.9	
Com 97	0146	3/	./1	.	111	257	1.04	.98	21.0	53.1	11.1	6.0	20.0	18.4	20.5	21.6	1.1	1.0	1.2	1.6	37.0	.39	3.63	138.77	111.8	
Com 98	0147	3/	./1	.	107	235	.91	.86	20.4	53.1	10.8	6.1	21.4	21.0	22.1	23.7	2.0	0.9	2.1	1.3	33.1	.30	3.25	122.46	98.7	
Com 99	0152	3/	./1	.	118	260	1.01	.94	27.3	49.0	13.4	5.9	22.6	19.6	23.3	25.0	3.2	1.0	1.2	2.0	33.9	.52	3.06	135.84	109.5	
Com 100	0157	3/	./1	.	113	242	.92	.83	32.3	51.7	16.7	6.1	21.5	16.8	22.3	22.7	1.9	1.0	1.1	2.1	35.3	.30	3.69	147.87	119.2	
Com 101	0160	3/	./1	.	123	255	.94	.87	24.6	47.4	11.7	5.3	22.6	24.3	23.0	24.6	4.8	0.6	1.1	1.7	34.5	.35	3.56	118.27	95.3	
Sire:OFP 829																										
Com 102	0116	3/	./1	.	132	259	.91	.82	31.1	40.7	12.7	5.5	21.2	21.7	21.1	23.1	2.2	1.0	1.1	2.2	37.3	.48	2.88	127.33	102.6	
Com 103	0120	3/	./1	.	125	280	1.11	1.03	29.4	54.4	16.0	5.8	22.8	20.6	23.9	26.2	6.7	1.0	1.0	2.3	39.8	.52	3.75	149.54	120.5	
Com 104	0129	3/	./1	.	113	249	.97	.89	28.2	55.5	15.7	5.5	20.6	19.7	20.4	21.1	1.6	1.6	2.0	1.8	34.1	.39	3.50	148.18	119.4	
Com 105	0130	3/	./1	.	126	267	1.01	.94	24.6	50.2	12.3	6.1	20.4	22.4	21.3	22.7	4.7	1.0	1.3	1.9	40.5	.48	2.94	134.77	108.6	
Com 106	0131	3/	./1	.	134	273	.99	.91	30.5	55.6	17.0	6.0	23.1	18.4	24.5	25.6	1.7	1.2	1.0	1.8	35.0	.52	3.31	148.42	119.6	
Com 107	0137	3/	./1	.	122	264	1.01	.94	26.5	47.3	12.5	6.6	20.6	17.8	19.1	21.7	0.9	1.0	1.2	1.8	38.9	.43	3.00	140.44	113.2	
Sire:R-J 3188																										
Com 108	0102	3/	./1	.	129	273	1.03	.93	34.4	49.4	17.0	6.7	21.9	16.1	21.7	22.9	2.0	2.8*	1.2	2.4	35.2	.43	3.38	153.90	124.0	
Com 109	0103	3/	./1	.	139	289	1.07	.98	34.1	53.2	18.1	6.1	21.2	17.7	20.6	23.0	1.7	1.0	1.0	2.2	38.4	.35	3.81	163.32	131.6	
Com 110	0108	3/	./1	.	134	285	1.08	.99	33.5	47.1	15.7	6.1	22.4	17.9	23.0	24.3	3.1	1.0	1.0	2.1	40.5	.43	3.75	150.77	121.5	
Com 111	0109	3/	./1	.	143	283	1.00	.93	25.8	53.0	13.7	5.2	21.9	16.2	22.2	22.9	1.6	2.3	1.7	1.3	38.1	.39	3.63	139.30	112.3	
Com 112	0110	3/	./1	.	126	279	1.09	1.00	33.3	51.9	17.3	5.7	21.9	17.4	22.2	24.8	2.4	1.0	1.2	2.3	39.0	.43	3.31	158.94	128.1	
Com 113	0111	3/	./1	.	111	254	1.02	.95	25.7	53.5	13.7	6.5	22.9	25.3	23.4	25.4	5.6	2.4	1.4	1.5	34.5	.30	3.69	129.75	104.6	
Pen 33 Menzies, C & S, SAN ANGELO																										
Sire:C&S MENZIES 2307																										
Reg 114	2660	3/	1/1	S	5	116	238	.87	.80	26.2	44.2	11.6	4.8	25.2*	21.1	26.0*	28.5*15.9	2.8*	1.0	2.1	29.5	.39	3.38	108.66	87.6	
Sire:C&S MENZIES 2464																										
Reg 115	2626	12/	1/0	S	5	154	325	1.22	1.15	27.4	48.3	13.2	5.5	21.3	16.3	22.0	22.1	1.3	1.0	1.3	1.3	38.9	.48	3.25	153.57	133.6
Reg 116	2678	3/	1/1	S	.	137	261	.89	.82	22.4	46.4	10.4	5.0	21.2	18.2	21.4	23.2	1.2	1.0	2.9	1.3	37.2	.35	3.94	120.86	97.4
Reg 117	2679	3/	1/1	TW	.	123	274	1.08	1.00	26.5	45.0	11.9	5.3	21.7	20.2	22.4	24.5	2.9	0.9	1.3	1.9	37.1	.52	3.13	134.82	108.7
Reg 118	2684	3/	1/1	TW	.	105	232	.91	.85	20.7	49.0	10.2	4.7	21.1	22.5	22.3	24.0	2.8	1.0	1.1	1.8	33.2	.30	2.63	115.45	93.0
Reg 119	2691	3/	1/1	S	.	136	293	1.12	1.05	24.0	48.6	11.6	5.4	22.3	21.2	22.2	24.5	3.8	1.0	2.1	1.3	36.0	.39	3.38	134.12	108.1
Reg 120	2695	3/	1/1	S	.	124	271	1.05	.97	27.8	54.0	15.0	5.3	22.1	18.9	22.7	22.6	4.0	1.0	1.6	2.4	36.9	.35	3.88	145.99	117.7
Reg 121	2713	3/	1/1	S	.	139	281	1.01	.95	21.6	50.4	10.9	5.3	20.4	17.8	22.3	22.1	1.0	1.0	2.8	1.4	38.3	.39	3.44	134.51	108.4
Reg 122	2728	4/	1/1	TW	.	93*	245	1.09	1.03	20.1	49.3	9.9	4.8	21.4	21.4	21.8	22.8	2.7	1.0	1.5	1.3	32.1	.30	2.63	125.91	101.5
Reg 123	2731	3/	1/1	TW	.	128	241	.81	.75	20.9	42.8	9.0*	4.4	20.8	20.3	21.8	22.9	2.2	1.0	1.0	2.1	35.5	.35	3.38	106.69	86.0
Reg 124	2732	3/	1/1	TW	.	117	265	1.06	1.00	20.8	49.4	10.3	4.7	20.3	19.9	20.3	23.2	1.7	1.0	1.3	1.9	32.0	.39	3.50	130.03	104.8
Reg 125	2739	3/	1/1	S	.	128	255	.91	.84	23.0	45.0	10.3	5.0	20.3	20.0	20.5	22.4	1.0	0.9	1.0	1.3	39.0	.39	3.25	122.33	98.6

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification

R e Test g No.	Flock No.	Age Birth date	Start Birth type	Final of Dam	Wt. 9/26	Wt. 2/13	ADG		Fleece			Fiber Diameter, microns			Scores			Scrot. circ.	Fat Depth	Ribeye Area	ROM Index	Index Ratio				
							Total lbs	Body lbs	Gr. Yield Wt.	Clean (%)	Stap. Wt.	len.	Core AFD	CV	Side Britch	PF (%)	Face Cover						Belly Wool	Body Folds		

Pen 34 Powell, James L., FT. MCKAVETT																										
Sire:																										
Com 126	301	2/	./1	TW	.	118	241	.88	.82	19.9	57.4	11.4	5.5	21.5	19.4	22.6	24.1	2.2	0.7	1.0	1.2	38.0	.43	3.38	124.59	100.4
Com 127	302	2/	./1	TW	.	114	243	.92	.86	21.9	43.1	9.4	5.1	22.0	19.3	24.4	26.0	3.6	1.0	1.1	1.7	37.1	.39	3.25	115.77	93.3
Com 128	303	2/	./1	TW	.	120	221	.72	.68	16.0	56.1	9.0	5.2	22.4	18.5	22.9	26.1	4.3	0.8	1.7	1.3	36.2	.26	3.00	103.20	83.2
Com 129	304	2/	./1	TW	.	129	255	.90	.83	23.5	50.2	11.8	5.4	21.3	20.2	21.9	23.7	3.5	1.0	2.2	1.7	35.9	.43	3.06	126.21	101.7
Com 130	305	2/	./1	TW	.	126	252	.90	.84	20.1	53.3	10.7	4.9	20.1	19.2	22.0	23.8	1.2	0.6	1.3	1.2	32.9	.39	2.94	125.06	100.8
Com 131	306	2/	./1	S	.	124	231	.76	.71	20.3	45.4	9.2	4.7	24.7*	23.0	26.2*	31.1*14.1	0.9	1.0	1.8		35.1	.30	3.19	91.76	74.0
Com 132	307	2/	./1	S	.	133	275	1.01	.95	22.6	50.6	11.4	5.5	21.6	17.9	22.6	25.2	2.5	0.9	1.3	1.1	36.5	.39	3.75	133.74	107.8
Com 133	308	2/	./1	S	.	108	240	.94	.88	23.4	50.8	11.9	5.4	23.0	19.4	23.0	26.2	7.0	1.0	1.0	2.0	37.3	.35	3.13	124.87	100.6
Com 134	309	2/	./1	S	.	124	249	.89	.84	19.7	41.1	8.1*	4.7	21.8	19.2	23.3	24.4	2.9	0.9	1.5	1.5	40.0	.43	3.56	108.51	87.5
Com 135	310	2/	./1	S	.	140	284	1.03	.98	19.1	47.6	9.1	5.2	20.3	20.6	19.8	22.9	1.9	0.7	2.8	1.2	40.0	.39	3.50	125.27	101.0
Com 136	311	2/	./1	S	.	129	245	.83	.77	19.7	48.6	9.5	4.8	20.4	21.6	21.5	23.1	1.8	1.0	1.3	1.4	33.2	.35	3.56	112.00	90.3
Com 137	312	2/	./1	S	.	135	256	.86	.79	25.0	51.3	12.8	5.2	22.9	18.8	24.6	27.5	5.5	1.0	1.0	1.8	35.9	.39	3.25	123.82	99.8
Com 138	313	2/	./1	S	.	111	220	.78	.73	19.0	44.6	8.5*	5.1	22.4	23.1	22.9	26.1	4.1	1.2	1.2	1.2	33.1	.39	3.44	97.79	78.8
Com 139	314	2/	./1	S	.	121	228	.76	.69	26.6	50.1	13.3	5.1	23.1	20.5	23.6	26.1	6.3	1.1	1.0	2.3	33.9	.39	2.75	116.53	93.9
Com 140	315	2/	./1	S	.	139	260	.86	.81	20.8	45.3	9.4	4.7	21.0	19.8	21.3	24.6	2.2	1.0	1.2	1.9	35.3	.43	3.63	113.40	91.4
Com 141	316	2/	./1	S	.	104	227	.88	.82	21.9	50.7	11.1	5.1	21.0	17.8	22.5	25.0	1.1	1.0	1.2	1.5	37.9	.35	3.25	124.48	100.3
Com 142	317	2/	./1	S	.	136	242	.76	.69	22.6	43.6	9.8	5.1	22.3	17.9	24.0	26.1	2.8	1.1	1.0	1.1	36.9	.35	2.94	108.06	87.1
Com 143	318	2/	./1	S	.	127	249	.87	.83	16.1	45.8	7.4*	5.2	21.9	19.3	24.1	26.8	4.4	0.8	3.1	1.1	34.2	.39	2.69	106.18	85.6
Com 144	319	2/	./1	S	.	107	225	.84	.78	21.9	46.8	10.3	4.6	22.3	17.3	23.1	26.7	3.1	1.0	1.4	1.6	32.4	.39	3.00	112.99	91.1
Com 145	320	2/	./1	S	.	120	229	.78	.72	19.5	52.4	10.2	4.8	21.2	24.4	22.3	24.4	2.7	1.3	1.0	1.6	35.1	.39	3.13	105.82	85.3
Com 146	321	2/	./1	S	.	138	260	.87	.81	20.4	51.9	10.6	4.9	22.2	19.4	21.9	24.2	4.2	0.9	1.7	1.4	35.5	.39	3.06	116.33	93.8
Com 147	322	2/	./1	S	.	139	252	.81	.75	20.3	47.1	9.6	6.1	19.5	17.4	19.6	22.6	0.7	0.9	1.2	1.4	35.0	.39	3.06	119.26	96.1
Com 148	323	2/	./1	S	.	110	221	.79	.73	22.8	46.5	10.6	5.1	22.9	17.7	23.5	26.0	4.1	1.0	1.0	1.6	34.3	.35	3.38	111.48	89.8
Com 149	324	2/	./1	S	.	114	248	.96	.89	25.8	50.2	12.9	5.4	20.7	19.4	22.0	23.6	1.7	1.0	1.0	1.8	34.3	.35	3.31	136.49	110.0
Com 151	326	2/	./1	S	.	126	238	.80	.75	16.9	49.0	8.3*	4.7	22.0	18.1	23.1	24.1	1.6	0.9	1.1	1.2	34.9	.35	3.25	105.05	84.7
Com 152	327	2/	./1	S	.	115	220	.75	.70	18.7	58.9	11.0	4.8	22.1	19.6	24.3	26.0	2.9	1.4	1.0	1.2	35.3	.26	3.00	110.76	89.3
Com 153	328	2/	./1	S	.	107	222	.82	.77	19.7	47.1	9.3	5.1	22.1	24.2	22.3	25.0	3.3	1.0	1.0	1.1	33.1	.39	3.19	103.07	83.1
Com 154	329	2/	./1	S	.	136	202	.47*	.41	20.4	48.2	9.8	4.5	22.3	23.1	23.2	25.0	7.7	1.0	1.0	1.8	32.3	.30	2.81	82.76	66.7
Com 155	330	2/	./1	S	.	120	259	.99	.93	23.9	47.1	11.3	4.8	22.9	18.6	24.2	26.9	6.6	1.0	1.0	2.3	40.5	.43	3.31	124.13	100.0
Com 156	331	2/	./1	S	.	107	221	.81	.75	22.0	51.7	11.4	5.0	21.1	16.7	23.3	24.5	1.5	1.0	1.3	1.5	34.5	.35	3.50	121.26	97.7
Com 157	332	2/	./1	S	.	128	248	.86	.80	19.0	41.2	7.8*	4.6	21.1	21.4	22.4	26.3	3.4	1.0	2.0	1.1	35.5	.39	3.25	103.97	83.8
Com 158	333	2/	./1	S	.	134	255	.86	.80	23.7	53.9	12.8	5.4	24.1*	19.5	25.2*	29.0*11.3	0.8	1.0	1.8		40.0	.35	3.19	120.32	97.0
Com 159	334	2/	./1	S	.	116	233	.84	.78	20.8	47.6	9.9	4.5	24.4*	18.1	24.0	27.5	9.2	0.7	1.1	1.8	33.4	.43	2.94	104.55	84.3
Com 160	335	2/	./1	S	.	109	241	.94	.88	24.2	47.1	11.4	5.5	23.0	20.6	23.4	27.6	5.2	1.0	1.1	1.8	33.9	.52	3.00	121.43	97.9
Com 161	336	2/	./1	S	.	112	245	.95	.89	20.9	48.6	10.2	5.5	20.9	19.8	22.0	24.6	1.5	1.0	1.3	1.2	32.1	.35	3.44	124.92	100.7
Com 162	337	2/	./1	S	.	145	266	.86	.81	19.6	39.1	7.7*	3.9*	22.0	17.7	22.6	24.2	2.9	0.8	1.0	1.2	34.8	.39	3.38	102.54	82.6
Com 163	338	2/	./1	S	.	117	219	.73	.67	19.6	45.1	8.8*	4.8	22.8	18.7	23.2	26.6	4.8	0.3	1.0	1.2	34.4	.35	3.00	99.59	80.3
Com 164	339	2/	./1	S	.	137	249	.80	.75	19.4	55.6	10.8	5.2	20.2	17.9	20.6	22.4	1.4	1.0	1.9	1.1	37.9	.39	3.44	121.63	98.0
Com 165	340	2/	./1	S	.	130	259	.92	.87	18.7	37.6	7.0*	4.5	20.8	21.3	21.5	25.3	1.8	0.6	1.4	1.1	35.9	.48	3.94	105.43	85.0

P before the test number designates a Polled ram

* after a value indicates reason this ram was not eligible for certification