

R e g No.	Codon No. 171	Flock Birth date	Birth type	Age of Dam	Start Wt. 9/29	Final Wt. 2/16	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio	
							Total lbs	Body lbs	Gr. Yield Wt. (%)	Clean Wt. (%)	Stap. len.	Core AFD	Side CV	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds							
Pen 2 TAES, Sonora, Sonora																									
Sire:TAES 7693																									
Reg 1	8680	QQ	3/ /10S	2	102	252	1.07	.99	27.8	43.0	11.9	6.1	22.8	24.0	24.4	26.2	95.0	1.0	1.0	1.6	37.0	.32	3.34	127.17	108.5
Sire:TAES 8287																									
Reg 2	8684	RR	3/ /10S	4	121	246	.89	.84	20.6	43.2	8.9*	5.8	20.2	25.2	20.9	24.5	99.2	0.9	2.0	1.2	38.0	.30	3.40	112.07	95.6
Reg 3	8687	RR	3/ /10S	2	110	251	1.01	.94	25.7	47.3	12.2	6.8	19.5	19.5	20.6	23.1	99.3	1.0	1.1	1.0	36.0	.25	2.77	138.89	118.5
Reg 4	8690	RR	3/ /10S	2	124	257	.95	.89	21.9	44.1	9.7	6.3	20.5	17.8	20.9	23.8	99.2	0.8	1.2	1.1	40.2	.34	3.29	126.16	107.7
Reg 5	8695	QQ	3/ /10S	4	110	243	.95	.88	24.5	48.2	11.8	6.6	19.3	20.0	19.5	22.0	99.1	1.1	1.8	1.2	34.0	.25	2.67	133.65	114.1
Reg 6	8701	QQ	3/ /10S	5	113	237	.89	.82	25.0	45.3	11.3	6.1	19.7	20.8	20.8	21.8	99.5	1.0	1.0	1.3	38.2	.31	3.23	126.67	108.1
Reg 7	8704	QR	3/ /10S	5	141	258	.84	.77	24.3	42.9	10.4	6.1	19.6	20.8	19.2	22.5	99.6	1.0	2.5	1.1	35.0	.42	2.57	120.17	102.5
Reg 8	8710	QQ	3/ /10TW	4	109	242	.95	.88	24.8	40.9	10.1	5.7	19.4	23.2	19.0	20.5	99.1	1.0	2.1	1.1	38.0	.38	3.15	122.95	104.9
Reg 9	8711	QR	3/ /10S	4	106	243	.98	.91	23.9	37.2	8.9*	6.1	20.3	21.3	19.8	22.7	97.6	1.0	1.9	1.0	36.4	.39	3.19	121.00	103.3
Reg 10	8713	QQ	3/ /10TW	4	106	237	.94	.87	22.7	41.2	9.3	5.5	20.1	22.0	19.9	21.8	99.2	1.0	1.9	1.1	35.5	.31	2.79	120.03	102.4
Reg 11	8715	QR	3/ /10TW	4	105	239	.96	.87	29.9	46.9	14.0	6.8	20.7	20.4	20.3	23.4	98.7	1.0	1.3	1.1	40.4	.42	2.97	139.19	118.8
Sire:TAES 8468																									
Reg 12	8721	QR	3/ /10S	4	117	276	1.14	1.06	27.4	46.6	12.8	5.9	20.2	21.4	20.7	25.0	98.9	0.6	1.1	1.1	38.0	.28	3.03	145.60	124.3
Sire:TAES 8522																									
Reg 13	8762	QR	3/ /10S	5	85*	255	1.21	1.15	23.1	47.0	10.9	6.3	20.2	20.0	20.4	23.6	98.8	1.0	1.0	1.1	34.7	.32	2.87	145.29	124.0
Pen 5 Schunke Ranch, Goldthwaite																									
Sire:SCHUNKE 1992																									
Reg 14	2387		12/2 /9 S	6	150	267	.84	.77	24.9	48.8	12.2	6.5	23.6	21.5	24.3	27.3	93.5	1.0	1.0	1.1	39.0	.34	2.91	115.16	101.0
Sire:SCHUNKE 2309																									
Reg 15	2388		12/10/9 TW	6	155	272	.84	.77	24.0	42.3	10.2	5.6	22.5	19.5	23.1	27.4	96.2	0.8	1.0	1.2	39.2	.28	3.10	113.16	99.3
Reg 16	2389		2/9 /10S	7	137	260	.88	.80	27.9	45.7	12.7	6.0	23.9*	19.9	25.4*	27.3	92.2	1.0	1.0	1.1	39.0	.38	3.45	120.79	103.1
Reg 17	2390		2/18/10S	6	141	268	.91	.82	29.7	48.7	14.5	6.1	21.7	17.9	22.5	26.5	98.2	1.0	1.0	1.0	43.0	.38	3.06	137.95	117.7
Pen 6 Jennings, J.W., Menard																									
Sire:C&S MENZIES 3138																									
Reg 18	752	QR	12/ /9 S	6	141	281	1.00	.93	26.3	38.2	10.0	5.5	21.6	17.7	21.8	24.0	98.0	2.3	1.8	1.0	39.0	.37	3.21	126.71	111.1
Reg 19	753	QQ	12/ /9 S	2	133*	269	.97	.90	26.8	36.5	9.8	5.4	21.0	20.4	20.9	23.5	98.3	1.5	1.5	1.0	32.9	.47	3.04	122.53	107.5
Sire:JW RANCH 711																									
Reg 20	755	QR	3/ /10S	3	129	262	.95	.89	22.6	35.2	8.0*	5.1	22.9	20.1	23.7	28.3*	94.5	1.6	1.0	1.0	40.0	.37	3.14	107.95	92.1
Pen 7 Kerr Brothers, Mertzon																									
Sire:ASU 1112																									
Reg 21	76		12/16/9 TW	.	130*	247	.84	.77	23.9	43.4	10.4	4.9	21.9	24.0	22.8	24.6	96.9	1.0	1.1	1.1	37.5	.38	3.10	107.83	94.6
Sire:TAILWIND 6017																									
RegP 22	75		12/19/9 S	.	143	271	.91	.86	21.2	40.2	8.5*	5.3	23.8*	27.6	24.4	26.9	92.4	1.0	1.2	1.0	30.8	.39	3.26	98.64	86.5
Pen 8 Klein, Felix, Littlefield																									
Sire:T.JONES 448																									
Reg 23	5003	RR	4/3 /10S	.	95*	223	.91	.85	22.7	49.1	11.2	5.5	19.7	20.6	20.3	21.9	99.1	1.0	1.5	1.3	34.2	.36	2.88	128.48	109.6
Reg 24	5004	QR	3/21/10S	.	94*	209	.82	.76	20.8	47.5	9.9	5.3	20.7	20.8	24.6	26.6	99.1	1.0	2.0	1.3	40.1	.23	2.71	114.75	97.9
Reg 25	5008	QR	3/24/10S	.	99*	233	.96	.89	25.7	46.2	11.9	5.4	20.2	19.4	20.7	21.8	98.9	1.0	1.0	1.8	38.0	.38	3.00	133.78	114.2

P before the test number designates a Polled ram
 * after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No.	Flock No.	Birth date	Birth type	Age of Dam	Start Wt. 9/29	Final Wt. 2/16	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio		
								Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	Side CV	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds							
Pen 9 Karnes, Bill, Sonora Sire:T. JONES 545																											
Reg	26	1	5/	/10S	7	120	237	.84	.77	24.8	45.2	11.2	5.4	21.1	18.9	21.6	22.7	98.5	0.9	1.0	3.0	37.9	.39	3.14	121.97	104.1	
Reg	27	2	5/	/10S	7	111	235	.89	.82	23.3	56.2	13.1	6.4	21.0	21.1	21.6	22.5	98.3	1.0	1.0	1.1	36.0	.32	3.18	130.43	111.3	
Reg	28	3	5/	/10TW	7	109	237	.91	.85	21.6	45.6	9.8	5.5	21.5	29.3	22.6	25.1	97.9	1.0	1.1	1.4	35.2	.37	2.82	111.69	95.3	
Reg	29	6	5/	/10S	8	76*	200	.89	.83	21.7	47.5	10.3	5.5	22.0	26.9	23.1	25.1	95.9	0.9	1.0	1.5	39.0	.35	2.74	110.54	94.3	
Reg	30	7	5/	/10TW	7	102	213	.79	.73	22.4	45.5	10.2	5.2	22.8	25.7	23.2	24.9	94.4	0.9	1.0	1.9	34.5	.36	2.68	101.00	86.2	
Pen 10 Sawyer Ranch, Sonora Sire:																											
Com	31	1001	QQ	2/	/10	.	137	277	1.00	.92	27.0	50.6	13.7	7.0	20.3	18.6	20.9	25.1	99.4	1.0	1.0	1.4	35.2	.41	3.16	144.19	123.1
Com	32	1002	QQ	2/	/10	.	147	261	.81	.74	25.4	49.9	12.7	6.3	19.0	19.4	19.6	22.3	99.7	1.0	1.0	1.3	37.0	.29	2.73	129.65	110.6
Com	33	1003	QQ	2/	/10	.	130	252	.87	.81	23.8	47.0	11.2	5.9	20.8	29.8	21.3	22.5	97.8	2.8*	1.0	1.2	36.0	.28	3.49	116.55	99.5
Com	34	1005	QR	2/	/10	.	143	262	.85	.78	23.9	41.4	9.9	5.3	19.8	17.0	20.4	21.9	99.5	1.2	1.1	1.1	35.5	.35	2.76	121.61	103.8
Com	35	1006	QR	2/	/10	.	159	298	.99	.93	22.6	45.4	10.3	5.2	24.5*	21.4	25.0*	29.1*	89.5	1.4	1.0	1.3	34.8	.42	3.41	113.36	96.7
Com	36	1009	QR	2/	/10	.	148	266	.84	.77	26.9	46.6	12.5	6.3	23.9*	21.8	25.0*	25.4	94.2	1.0	1.0	1.3	37.5	.35	2.98	115.50	98.6
Com	37	1010	QR	2/	/10	.	145	265	.86	.78	26.9	52.0	14.0	6.6	21.0	16.1	22.2	27.2	99.4	0.8	1.0	1.1	39.5	.31	3.39	135.83	115.9
Com	38	1011	QQ	2/	/10	.	126	257	.94	.87	24.8	46.9	11.6	6.3	20.7	19.9	21.6	24.3	99.1	0.9	1.1	1.0	38.2	.32	2.91	129.62	110.6
Com	39	1013	RR	2/	/10	.	134	251	.84	.77	24.2	50.2	12.2	6.2	23.1	19.3	22.3	26.6	96.3	1.0	1.0	1.0	39.9	.40	2.82	119.46	101.9
Com	40	1014	QQ	2/	/10	.	136	231	.68	.61	26.2	42.9	11.2	5.8	20.3	19.7	21.2	23.8	99.4	1.2	1.0	.	37.0	.32	2.91	114.22	97.5
Com	41	1015	RR	2/	/10	.	124	240	.83	.77	20.5	49.4	10.1	6.3	20.9	22.1	20.9	23.3	98.0	1.0	2.0	1.0	36.0	.34	2.58	114.60	97.8
Com	42	1017	QQ	2/	/10	.	140	270	.93	.84	30.1	36.9	11.1	5.5	22.8	22.9	23.5	26.0	95.5	0.9	1.0	1.5	39.0	.28	2.84	116.20	99.2
Com	43	1018	QQ	2/	/10	.	129	250	.86	.80	22.0	46.6	10.2	6.1	21.3	23.8	20.5	23.4	96.7	0.9	1.0	1.1	36.5	.28	2.96	113.60	96.9
Com	44	1019	QR	2/	/10	.	134	282	1.06	.98	29.1	36.2	10.5	5.4	22.5	18.4	23.2	25.8	96.8	0.8	1.0	1.4	39.1	.30	3.32	128.13	109.3
Com	45	1021	QR	2/	/10	.	137	273	.97	.90	26.4	41.8	11.1	5.6	23.0	19.3	22.8	26.0	95.6	1.0	1.0	1.4	37.0	.37	3.48	123.23	105.2
Com	46	1023	QQ	2/	/10	.	114	246	.94	.87	27.1	42.0	11.4	5.2	24.6*	19.6	25.1*	28.8*	89.4	1.0	1.0	1.7	32.5	.27	3.09	116.24	99.2
Pen 14 Campbell, Molly Sawyer, Tulsa, OK Sire:																											
Com	47	110	QR	2/	/10	.	140	265	.89	.81	29.4	48.8	14.4	5.9	23.3	22.1	22.9	25.8	93.6	1.0	1.0	1.2	34.9	.27	2.96	126.75	108.2
Com	48	210	QR	2/	/10	.	126	251	.89	.82	25.8	38.5	9.9	5.5	20.2	20.0	20.0	22.6	99.0	1.0	1.0	1.2	35.8	.24	3.45	121.63	103.8
Com	49	310	QR	2/	/10	.	137	272	.96	.90	23.0	37.2	8.6*	4.8	21.7	26.0	22.3	26.1	97.3	1.0	1.0	1.1	40.0	.29	3.07	106.09	90.5
Com	50	410	QQ	2/	/10	.	117	223	.76	.69	23.2	45.5	10.5	6.4	22.5	24.6	23.2	24.2	95.0	0.8	1.0	1.0	38.0	.21	3.39	103.72	88.5
Com	51	510		2/	/10	.	106	233	.91	.84	22.9	43.8	10.0	5.9	21.6	20.1	21.5	25.9	97.2	1.0	1.0	1.3	35.0	.40	2.94	118.89	101.5
Com	52	610		2/	/10	.	95*	228	.95	.89	20.5	47.4	9.7	6.1	20.2	23.7	19.3	23.4	98.6	1.0	1.1	1.1	32.2	.36	2.64	120.37	102.7
Pen 15 Edmondson, Hugh, Ballinger Sire:TRSG 1395																											
Com	53	30	4/	/10TR	5	129	265	.97	.89	28.1	38.9	10.9	5.8	23.7	22.3	23.6	26.3	93.2	2.1	1.1	1.1	39.7	.32	2.68	116.58	99.5	
Com	54	32	4/	/10TW	5	134	295	1.15	1.08	26.6	46.2	12.3	5.9	22.2	24.1	21.6	25.6	96.2	1.1	1.6	1.0	37.0	.29	3.26	135.32	115.5	
Pen 16 Pflugger, Robert, San Angelo Sire:TRSG 1610																											
Com	55	2	3/	/10S	3	117	269	1.09	1.02	24.8	42.6	10.6	6.4	22.1	17.6	21.9	22.6	97.7	1.0	1.1	1.1	35.0	.30	2.99	132.79	113.3	
Com	56	11	3/	/10S	4	125	261	.97	.89	29.7	41.8	12.4	6.8	22.4	17.8	22.7	26.1	97.1	1.0	1.3	1.0	35.5	.44	2.70	131.64	112.3	
Com	57	17	3/	/10S	4	119	239	.86	.78	27.9	51.4	14.4	6.6	22.6	18.1	23.3	25.7	96.7	1.0	1.0	1.1	34.2	.40	3.16	131.87	112.5	
Com	58	19	3/	/10S	4	113	227	.81	.74	27.0	42.1	11.4	6.5	20.2	18.8	20.1	21.6	98.9	1.0	1.0	1.1	39.0	.29	3.26	123.87	105.7	

* after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No.	Flock 171	Birth date	Birth type	Age of Dam	Start Wt. 9/29	Final Wt. 2/16	ADG		Fleece			Fiber Diameter, microns				Scores				Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio	
								Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool						Body Folds
Pen 17 Powell, James L., Ft. McKavett																										
Com	59	1	2/	/10S	.	147	238	.65	.56	32.2	46.7	15.0	6.1	23.3	19.3	22.9	26.2	93.7	1.0	1.0	1.2	34.2	.42	3.08	117.83	100.6
Com	60	2	2/	/10S	.	120	216	.69	.61	25.6	49.8	12.7	6.5	24.3*	18.0	23.9	30.4*	94.1	0.9	1.0	1.1	34.0	.30	3.27	110.73	94.5
Com	61	3	2/	/10S	.	157	264	.76	.70	24.0	43.7	10.5	6.0	22.1	24.6	21.4	26.3	95.9	1.0	2.0	1.0	36.0	.35	2.93	104.78	89.4
Com	62	4	2/	/10S	.	125	217	.66	.60	19.8	44.6	8.8*	5.5	22.2	20.9	22.3	24.7	96.2	1.0	1.2	1.0	34.0	.26	3.33	96.86	82.7
Com	63	5	2/	/10S	.	135	237	.73	.65	26.9	42.5	11.4	5.8	25.0*	22.5	25.8*	31.2*	87.8	0.9	1.0	1.2	35.0	.36	3.12	100.33	85.6
Com	64	6	2/	/10S	.	125	217	.66	.59	23.7	50.4	11.9	6.0	24.3*	19.9	24.0	28.7*	90.3	1.0	1.0	1.6	35.2	.32	3.19	103.65	88.5
Com	65	7	2/	/10S	.	138	251	.81	.74	24.4	52.0	12.7	6.8	23.7	18.1	23.2	27.7	93.5	1.0	1.1	1.0	32.0	.35	3.32	119.62	102.1
Com	66	8	2/	/10S	.	143	261	.84	.77	24.5	43.5	10.7	5.5	23.1	21.0	23.7	27.4	93.6	0.8	1.0	1.0	41.8	.32	3.45	111.75	95.4
Com	67	9	2/	/10S	.	143	251	.77	.71	20.5	42.7	8.7*	5.6	21.6	21.5	22.0	24.2	97.3	0.9	1.1	1.0	33.0	.35	3.29	104.29	89.0
Com	68	10	2/	/10S	.	139	246	.76	.71	20.8	53.9	11.2	6.4	24.3*	23.1	24.6	26.2	91.5	1.0	1.0	1.0	31.2	.41	3.47	103.96	88.7
Com	69	11	2/	/10S	.	125	238	.81	.74	24.1	43.8	10.5	5.9	23.9*	21.6	24.6	31.5*	93.2	0.9	1.0	1.4	38.0	.31	3.13	106.17	90.6
Com	70	12	2/	/10S	.	128	240	.80	.72	27.3	46.5	12.7	5.9	25.1*	20.9	24.7	28.5*	87.4	1.0	1.0	1.6	34.5	.29	3.32	111.62	95.3
Com	71	13	2/	/10S	.	141	273	.94	.87	25.4	49.0	12.4	6.2	24.4*	18.8	24.5	28.1*	91.8	0.9	1.0	1.2	40.0	.32	3.41	123.65	105.5
Com	72	14	2/	/10S	.	137	243	.76	.69	24.0	50.5	12.1	6.2	23.7	23.3	24.2	27.5	92.4	1.0	1.0	1.1	38.5	.27	3.21	107.85	92.0
Com	73	15	2/	/10S	.	147	239	.66	.58	29.3	45.7	13.4	5.4	22.7	23.0	22.4	26.9	95.0	0.8	1.0	2.8	36.9	.33	2.68	108.84	92.9
Com	74	16	2/	/10S	.	147	248	.72	.65	23.9	43.2	10.3	6.1	23.8*	22.8	24.6	27.5	92.9	0.6	1.1	1.0	36.0	.45	3.12	98.93	84.4
Com	75	17	2/	/10S	.	148	240	.66	.59	24.3	50.8	12.3	7.3	25.7*	19.0	26.3*	28.5*	86.6	0.6	1.1	1.0	36.8	.38	2.90	104.45	89.1
Com	76	18	2/	/10S	.	140	244	.74	.67	25.0	44.0	11.0	5.6	24.9*	24.7	26.0*	29.9*	87.2	0.7	1.0	1.1	36.2	.38	3.61	97.18	82.9
Com	77	19	2/	/10S	.	137	246	.78	.71	23.9	44.2	10.6	5.8	23.4	20.0	21.6	24.5	94.4	1.0	1.0	1.2	37.9	.34	3.02	107.94	92.1
Com	78	20	2/	/10S	.	144	253	.78	.71	23.9	47.4	11.3	5.6	22.4	21.4	24.0	26.3	94.8	1.0	1.0	1.0	37.0	.49	3.30	112.29	95.8
Com	79	21	2/	/10S	.	155	265	.79	.71	26.9	39.9	10.7	5.4	21.7	18.7	22.4	26.7	97.5	0.9	1.0	1.4	35.5	.43	3.59	114.71	97.9
Com	80	22	2/	/10S	.	134	238	.74	.68	22.8	41.3	9.4	5.1	24.0*	30.1	23.8	26.9	92.1	1.0	1.0	1.0	35.4	.33	2.92	90.58	77.3
Com	81	23	2/	/10S	.	139	243	.74	.66	28.6	47.3	13.5	5.8	23.8*	21.3	24.8	28.1*	92.4	1.0	1.0	1.3	37.0	.28	2.88	114.00	97.3
Com	82	24	2/	/10S	.	134	222	.63	.56	25.7	49.9	12.8	6.0	21.8	23.1	22.6	26.4	97.6	1.0	1.0	1.0	38.0	.23	3.38	108.40	92.5
Com	83	25	2/	/10S	.	156	255	.71	.64	23.1	44.2	10.2	5.6	22.8	18.9	23.1	27.0	95.6	1.0	1.4	1.0	36.0	.31	3.36	105.59	90.1
Com	84	26	2/	/10S	.	143	269	.90	.81	31.0	52.4	16.2	6.2	24.0*	21.0	24.6	29.3*	90.7	1.1	1.0	1.3	33.3	.34	3.26	133.78	114.2
Com	85	27	2/	/10S	.	143	250	.76	.69	26.4	46.0	12.2	6.1	24.5*	16.7	24.9	29.3*	93.3	0.9	1.0	1.0	36.1	.32	3.32	112.18	95.7
Com	86	28	2/	/10S	.	152	253	.72	.66	21.0	43.6	9.1	5.2	22.5	20.3	23.4	25.2	96.1	0.9	1.4	1.1	37.0	.30	3.26	100.59	85.8
Com	87	29	2/	/10S	.	147	272	.89	.83	23.8	45.2	10.8	5.9	21.6	22.1	21.3	23.7	97.0	0.9	1.1	1.2	38.0	.34	3.18	118.32	101.0
Com	88	30	2/	/10S	.	128	246	.84	.78	22.4	45.7	10.2	5.8	24.0*	22.4	23.8	26.3	92.2	0.9	1.3	1.1	37.2	.26	3.18	105.99	90.5
Com	89	31	2/	/10S	.	136	235	.71	.66	17.1	45.8	7.8*	5.6	21.9	17.4	20.9	25.8	98.0	1.0	2.9	1.0	34.5	.29	3.22	100.76	86.0
Com	90	32	2/	/10S	.	119	173*	.39*	.32	24.0	47.0	11.3	5.8	21.9	20.0	22.0	23.0	96.5	1.0	1.0	1.4	31.0	.20	2.95	91.77	78.3
Com	91	33	2/	/10S	.	147	256	.78	.71	24.1	47.1	11.4	6.0	22.7	24.2	24.2	26.3	95.0	0.9	1.0	1.2	37.8	.36	3.26	107.96	92.1
Com	92	34	2/	/10S	.	134	234	.71	.66	20.5	47.8	9.8	5.9	23.7	19.9	23.9	26.9	93.4	0.9	1.0	1.0	35.0	.39	2.99	100.84	86.1

* after a value indicates reason this ram was not eligible for certification