

R	Codon	Age	Start	Final	ADG		Fleece				Fiber Diameter, microns				Scores			Scrot. Fat Ribeye										
e	Test Flock	Birth	Birth	of	Wt.	Wt.	Total	Body	Gr.	Yield	Clean	Stap.	Core		Comfort	Face	Belly	Body	circ.	Depth	Area	ROM	Index					
g	No.	No.	171	date	type	Dam	9/26	2/13	lbs	lbs	Wt.	(%)	Wt.	len.	AFD	CV	Side	Britch	(%)	Cover	Wool	Folds	cm.	in.	sq.in.	Index	Ratio	
+++++																												
Pen 4 Edmondson, Hugh, Ballinger																												
Sire:TAES																												
Com	3	151	4/	/12	TW	5	119	294	1.25	1.19	21.2	47.3	10.0	5.5	22.6	20.2	23.2	25.6	96.6	1.8	1.2	1.2	44.5	.31	3.34	136.70	111.4	
Com	4	152	4/	/12	TW	5	143	276	.95	.89	20.7	50.2	10.4	5.3	22.3	20.0	23.8	26.6	98.0	1.1	1.0	1.1	37.5	.42	3.51	120.58	98.3	
Com	5	376	4/	/12	S	5	129	252	.88	.81	23.7	45.2	10.7	5.4	23.2	19.5	24.5	25.7	95.4	1.0	1.2	1.2	41.0	.43	3.26	115.36	94.0	
Pen 5 Karnes, Bill, Sonora																												
Sire:TAES 8778																												
RegP	6	27	QR	3/	/12	S	3	128	243	.82	.77	20.3	54.5	11.0	5.7	20.5	18.6	20.3	24.3	99.1	1.3	1.6	1.0	36.0	.33	2.56	123.56	100.7
Reg	7	29	QR	3/	/12	S	3	142	269	.91	.84	23.0	51.7	11.9	5.3	22.5	17.8	21.9	24.0	97.4	0.8	1.0	1.1	40.0	.40	2.66	125.47	102.3
Reg	8	30	RR	3/	/12	S	3	138	281	1.02	.96	23.0	50.1	11.5	5.8	20.0	21.2	20.8	22.0	99.1	0.8	1.2	1.0	40.0	.28	3.26	135.27	110.2
Reg	10	32	RR	3/	/12	TW	3	110	224	.81	.76	20.4	52.1	10.6	5.8	19.3	18.9	19.8	21.7	99.6	0.7	1.1	1.3	41.0	.33	2.97	122.88	100.2
Pen 6 Schunke Ranch, Goldthwaite																												
Sire:Schunke 2390																												
Reg	11	2477		12/31/11	S	4	149	274	.89	.84	18.4	46.8	8.6*	5.4	21.2	23.2	21.4	26.7	97.1	0.6	1.2	1.1	42.0	.34	3.00	110.48	97.9	
Sire:Schunke 2388																												
Reg	12	2490		12/23/11	Tw	8	150	292	1.01	.94	25.7	48.3	12.4	5.6	25.0*	19.0	26.3*	29.2*	90.0	0.8	1.1	1.1	43.5	.32	3.42	125.95	111.6	
Reg	13	2498		12/30/11	Tw	8	154	286	.94	.88	23.0	51.9	11.9	5.8	23.1	20.5	23.8	26.2	95.7	1.0	1.1	1.0	45.0	.32	3.41	123.75	109.7	
Sire:Schunke 2390																												
Reg	14	2615		1/13/12	S	8	148	283	.96	.89	28.4	53.8	15.2	5.6	22.6	21.5	21.9	25.8	95.2	0.3	1.0	1.1	42.5	.31	2.88	137.60	112.1	
Sire:Schunke 2363																												
Reg	15	2621		1/10/12	Tw	4	145	251	.76	.71	17.9	51.7	9.3	5.8	22.0	18.6	22.6	25.7	98.0	0.7	1.1	1.0	42.0	.35	2.63	108.34	88.3	
Pen 7 Waldrop, Riley, Robert Lee																												
Sire:Waldrop 1152																												
Reg	16	1286	QR	10/	/11	TW	6	210	347	.98	.93	17.1	52.7	9.0	4.8	23.5	23.6	23.5	26.9	93.9	0.9	2.5	1.0	43.0	.49	3.74	107.48	95.3
Reg	17	1288	RR	12/	/11	S	3	163	245	.59	.54	18.0	57.1	10.3	4.7	22.4	19.6	21.7	25.1	97.2	1.0	1.2	1.0	40.0	.35	3.30	96.42	85.5
Pen 9 Fincher, Kenneth, Water Valley																												
Sire:Fincher 223																												
Reg	19	3107		3/	/12	S	6	139	268	.92	.88	16.1	48.1	7.8*	4.9	19.3	22.5	19.7	23.0	99.0	0.9	1.7	1.0	42.0	.32	3.71	111.72	91.0
Sire:Fincher 2707																												
Reg	20	3096		3/	/12	S	5	129	241	.80	.76	16.1	52.0	8.4*	4.8	20.5	19.8	21.0	25.4	98.7	1.0	1.5	1.0	43.0	.36	3.35	108.01	88.0

P before the test number designates a Polled ram  
 \* after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No.	Flock No.	Birth date	Birth type	Age of Dam	Start 9/26	Final Wt. 2/13	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. circ. cm.	Fat Depth in.	Ribeye Area sq.in.	ROM Index	Index Ratio			
								Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch (%)	Comfort Cover	Face Wool						Belly Folds	Body	
Pen 17 Sawyer Ranch, Sonora																											
Sire:																											
Com	22	1201	QQ	2/	/12	.	156	294	.99	.93	21.1	52.8	11.2	5.4	18.8	19.4	20.1	21.8	99.6	0.9	1.1	1.2	43.5	.35	3.74	134.29	109.4
Com	23	1202	QR	2/	/12	.	139	281	1.01	.95	24.1	54.5	13.1	5.4	21.7	20.7	23.0	25.6	98.2	0.9	1.0	1.1	41.5	.44	3.42	135.97	110.8
Com	24	1203	QQ	2/	/12	.	126	261	.96	.91	19.5	53.0	10.3	6.1	21.3	20.0	22.4	24.2	98.5	1.2	1.2	1.1	39.0	.39	3.29	125.38	102.2
Com	25	1204	QQ	2/	/12	.	114	253	.99	.94	19.1	51.1	9.7	5.0	22.7	20.6	24.1	25.5	95.8	0.9	1.0	1.2	39.0	.37	2.79	117.78	96.0
Com	26	1205	QQ	2/	/12	.	159	294	.96	.90	22.2	48.4	10.7	4.4	22.7	19.6	23.9	25.7	96.6	1.0	1.0	1.5	44.0	.35	2.98	118.43	96.5
Com	27	1206	QQ	2/	/12	.	128	244	.83	.76	25.4	52.0	13.2	4.6	22.4	20.9	23.3	24.6	97.1	3.0*	1.1	1.8	41.5	.28	2.76	119.60	97.5
Com	28	1207	QR	2/	/12	.	167	297	.93	.86	24.5	50.7	12.4	4.9	22.5	17.9	22.4	24.2	97.0	1.0	1.2	1.3	44.5	.36	3.19	127.08	103.6
Com	29	1208	QR	2/	/12	.	142	278	.97	.91	20.4	52.0	10.6	5.5	21.1	19.1	22.1	24.3	98.7	1.0	1.1	1.1	36.5	.38	3.15	128.30	104.6
Com	30	1209	QQ	2/	/12	.	156	287	.94	.86	28.2	50.3	14.2	5.8	23.4	22.4	25.4*	27.5	93.7	1.6	1.1	1.2	45.0	.38	3.43	128.00	104.3
Com	31	1210	RR	2/	/12	.	144	266	.87	.81	21.6	58.1	12.6	5.8	22.2	19.5	22.9	24.5	97.9	0.9	1.1	1.1	41.0	.38	2.93	126.24	102.9
Com	32	1211	QQ	2/	/12	.	157	279	.87	.81	21.7	54.2	11.7	5.9	22.0	20.9	22.5	25.6	97.8	1.0	1.2	1.1	40.0	.46	2.94	121.70	99.2
Com	33	1212	QQ	2/	/12	.	138	254	.83	.76	25.3	56.1	14.2	6.7	23.8	25.1	24.6	27.3	92.9	1.3	1.6	1.2	43.0	.36	3.30	117.74	96.0
Com	34	1213	QQ	2/	/12	.	122	259	.98	.91	23.0	54.2	12.4	4.9	23.7	21.0	24.0	25.3	93.5	1.2	1.0	2.0	45.0	.29	2.95	123.27	100.5
Com	35	1214	QQ	2/	/12	.	130	281	1.08	1.02	21.2	48.6	10.3	5.0	22.6	26.0	24.3	26.5	95.4	0.8	1.3	1.2	44.0	.36	3.10	118.34	96.4
Com	36	1215	QR	2/	/12	.	146	248	.73	.67	20.0	49.7	9.9	5.3	23.2	18.4	23.3	27.2	96.6	1.0	1.1	1.3	39.5	.41	3.09	104.93	85.5
Com	37	1216	QR	2/	/12	.	116	279	1.16	1.10	23.9	48.5	11.6	5.6	21.3	20.7	22.0	23.6	97.4	1.0	1.0	1.1	42.0	.41	3.18	140.65	114.6
Com	38	1217	QQ	2/	/12	.	138	289	1.08	1.02	19.8	56.8	11.3	6.1	21.9	17.6	22.4	25.0	98.3	0.8	1.1	1.1	41.5	.38	3.46	136.61	111.3
Com	39	1218	QQ	2/	/12	.	137	277	1.00	.95	18.8	54.6	10.3	5.4	20.9	18.4	21.7	23.9	98.8	0.9	1.1	1.3	41.0	.41	3.18	129.98	105.9
Com	40	1219	QR	2/	/12	.	160	316	1.11	1.05	24.9	57.4	14.3	6.0	22.6	20.5	24.1	27.8	97.1	0.9	1.1	1.1	44.0	.33	3.84	144.68	117.9
Pen 1 TAES, Sonora, Sonora																											
Sire:TAES 8582																											
Reg	41	8945	RR	4/	/12 S	5	105	246	1.01	.94	24.8	50.2	12.4	6.1	21.8	22.4	22.7	26.3	96.5	0.8	1.3	1.3	38.0	.31	2.99	130.70	106.5
Reg	42	8952	QR	4/	/12 S	4	105	240	.96	.91	18.9	56.0	10.6	6.4	19.3	18.5	20.5	22.8	99.6	0.8	1.1	1.1	38.0	.31	2.81	132.35	107.9
Sire:TAES 8656																											
Reg	43	8920	QR	4/	/12 S	5	98*	232	.96	.89	25.4	43.7	11.1	6.1	18.8	24.6	18.6	20.5	98.5	2.5	1.3	1.6	37.0	.32	2.60	125.34	102.2
Reg	44	8923	QR	4/	/12 TW	2	116	247	.94	.88	21.5	50.1	10.7	5.8	18.8	16.3	19.2	20.2	99.8	1.0	1.4	1.2	39.0	.39	3.05	131.55	107.2
Reg	45	8926	QQ	4/	/12 S	2	127	282	1.11	1.04	25.1	51.0	12.8	5.9	19.5	19.8	19.9	21.8	99.3	1.0	1.2	1.3	36.0	.31	3.16	147.13	119.9
Reg	46	8932	RR	4/	/12 S	5	99*	244	1.04	.97	24.8	44.1	10.9	6.1	18.3	23.4	18.6	19.9	99.3	1.0	1.8	1.2	37.0	.32	2.79	130.96	106.7
Sire:TAES 8762																											
Reg	47	8893	RR	4/	/12 S	2	109	261	1.09	1.02	22.3	52.7	11.7	5.7	19.1	20.3	18.7	19.7	99.5	1.0	1.5	1.1	35.0	.37	2.74	141.57	115.4
Reg	48	8896	RR	4/	/12 S	3	126	253	.91	.85	20.9	46.2	9.7	5.4	18.1	20.1	18.3	20.5	99.8	0.7	1.1	1.1	37.5	.32	3.41	122.36	99.7
Reg	49	8904	QR	4/	/12 TW	6	103	240	.98	.91	25.1	51.4	12.9	6.1	19.6	19.1	20.5	24.0	99.4	0.9	1.1	1.2	38.5	.34	2.71	140.77	114.7
Reg	50	8905	QQ	4/	/12 S	2	116	265	1.06	1.00	23.1	48.3	11.2	6.2	21.2	19.0	21.5	24.4	99.2	0.7	1.3	2.0	37.0	.34	2.77	135.40	110.3
Pen 8 Klein, Felix, Littlefield																											
Sire:528																											
Com	51	5	4/	/12	.	96*	198*	.73	.67	20.0	61.9	12.4	6.8	21.9	19.0	23.8	25.8	97.4	0.9	1.2	2.4	38.0	.34	3.10	118.49	96.6	
Com	52	19	4/	/12	.	97*	210	.81	.75	19.7	57.7	11.4	6.6	20.6	19.0	22.1	23.9	98.6	1.0	1.1	1.2	40.0	.36	2.68	123.45	100.6	

\* after a value indicates reason this ram was not eligible for certification

R e g No.	Codon No.	Flock 171	Birth date	Age type	Start Birth of Dam	Final Wt. 9/26	ADG		Fleece			Fiber Diameter, microns				Scores			Scrot. Fat Ribeye							
							Total lbs	Body lbs	Gr. Wt.	Yield (%)	Clean Wt.	Stap. len.	Core AFD	CV	Side	Britch	Comfort (%)	Face Cover	Belly Wool	Body Folds	circ. cm.	Depth in.	Area sq.in.	ROM Index	Index Ratio	
Pen 18 JP Family LP, Ft. McKavett																										
Sire:																										
Com	53	201	2/	/12	S	. 144	261	.84	.78	20.2	52.4	10.6	5.6	23.1	19.0	22.8	25.7	95.5	0.8	1.2	1.1	38.0	.34	2.58	114.51	93.3
Com	54	202	2/	/12	S	. 156	283	.91	.85	19.7	44.1	8.7*	5.5	21.6	21.0	21.8	27.1	97.2	0.7	1.4	1.1	40.0	.28	2.86	113.05	92.1
Com	55	203	2/	/12	S	. 148	261	.81	.74	24.9	49.4	12.3	5.5	24.5*	17.1	24.9	27.7	93.3	0.7	1.0	1.2	38.0	.28	3.31	115.71	94.3
Com	56	204	2/	/12	S	. 125	279	1.10	1.02	29.5	45.2	13.3	5.8	25.5*	22.9	27.7*	30.3*	83.5	1.0	1.1	1.3	38.0	.44	2.99	129.26	105.3
Com	57	205	2/	/12	S	. 129	264	.96	.90	24.3	55.7	13.5	5.9	21.0	16.9	21.3	26.1	99.0	1.0	1.3	1.1	43.5	.28	2.66	140.69	114.7
Com	58	206	2/	/12	S	. 132	223	.65	.59	20.1	51.1	10.3	5.4	22.7	17.5	23.8	26.2	97.5	0.7	1.7	1.2	37.5	.27	2.95	103.65	84.5
Com	59	207	2/	/12	S	. 137	242	.75	.69	21.1	49.8	10.5	5.7	20.7	18.3	21.9	24.7	99.1	1.0	1.3	1.0	39.0	.27	2.88	116.82	95.2
Com	60	208	2/	/12	S	. 125	235	.79	.73	20.8	47.5	9.9	5.3	19.2	19.7	21.0	22.8	99.1	0.8	2.3	1.2	43.0	.35	2.69	116.16	94.7
Com	61	209	2/	/12	S	. 160	287	.91	.84	24.0	50.6	12.1	5.4	21.0	20.5	21.5	24.0	98.6	0.9	1.3	1.4	40.0	.35	3.02	127.98	104.3
Com	62	210	2/	/12	S	. 138	244	.76	.69	23.8	52.5	12.5	5.5	24.4*	20.4	25.2*	29.2*	90.3	0.7	1.0	1.4	40.5	.29	2.53	110.86	90.4
Com	63	211	2/	/12	S	. 136	224	.63	.57	21.5	47.1	10.1	4.8	23.2	21.0	24.1	27.8	94.1	0.9	1.1	1.3	40.0	.30	3.29	94.32	76.9
Com	64	212	2/	/12	S	. 116	241	.89	.84	17.9	50.1	9.0*	5.4	20.6	19.1	21.5	24.5	98.7	0.7	1.1	1.2	42.5	.36	3.19	118.74	96.8
Com	65	213	2/	/12	S	. 140	261	.86	.79	25.1	50.0	12.6	5.8	23.0	21.5	22.5	25.2	92.9	0.8	1.1	1.0	39.5	.40	3.15	120.23	98.0
Com	66	214	2/	/12	S	. 137	271	.96	.90	20.5	50.0	10.2	5.4	23.1	19.3	24.1	26.9	95.4	0.9	1.7	1.0	40.0	.34	3.13	119.33	97.3
Com	67	215	2/	/12	S	. 153	282	.92	.87	20.3	48.2	9.8	5.2	21.2	17.1	21.1	24.1	99.0	1.0	1.0	1.3	40.0	.37	2.94	121.74	99.2
Com	68	216	2/	/12	S	. 139	264	.89	.83	21.0	52.0	10.9	5.5	23.3	22.5	22.4	24.9	93.8	0.8	1.0	1.5	44.0	.23	3.43	114.02	92.9
Com	69	217	2/	/12	S	. 133	266	.95	.88	25.6	40.4	10.3	6.0	22.6	20.8	22.4	26.4	96.4	0.7	1.2	1.1	38.0	.35	2.79	118.63	96.7
Com	70	218	2/	/12	S	. 155	282	.91	.84	23.6	48.5	11.5	6.3	22.0	17.6	23.0	24.5	97.9	0.7	1.1	1.1	39.5	.39	3.26	126.02	102.7
Com	71	219	2/	/12	S	. 147	282	.96	.91	19.7	52.1	10.3	5.6	23.8	17.3	23.4	25.6	95.0	0.8	1.0	1.1	40.0	.24	3.42	120.01	97.8
Com	72	220	2/	/12	S	. 148	246	.70	.65	17.7	48.8	8.6*	5.8	19.9	19.7	20.8	23.3	99.5	0.6	1.1	1.1	43.5	.31	2.91	107.47	87.6
Com	73	221	2/	/12	S	. 146	251	.75	.69	21.5	49.1	10.5	5.3	21.6	20.5	22.3	25.6	97.8	0.8	1.1	1.0	39.0	.27	2.80	110.48	90.0
Com	74	222	2/	/12	S	. 126	233	.76	.70	23.4	49.0	11.5	5.9	22.1	22.9	22.9	25.8	97.3	2.5	1.0	1.1	38.0	.35	2.65	111.19	90.6
Com	75	223	2/	/12	S	. 135	234	.71	.66	18.1	50.5	9.1	5.6	22.5	19.8	22.6	27.4	96.0	0.9	1.0	1.2	39.0	.36	2.51	101.83	83.0
Com	76	224	2/	/12	S	. 125	235	.79	.72	23.8	46.8	11.1	6.0	22.3	19.1	24.1	26.3	97.2	1.0	1.0	1.1	38.5	.33	2.67	115.13	93.8
Com	77	225	2/	/12	S	. 137	269	.94	.88	21.6	47.6	10.3	5.9	21.6	19.6	22.1	24.7	98.2	0.8	1.0	1.2	37.0	.35	2.61	123.05	100.3
Com	78	226	2/	/12	S	. 162	312	1.07	1.01	23.9	44.2	10.5	5.1	22.2	18.8	23.0	26.6	97.6	0.9	1.0	1.2	42.5	.45	3.42	129.06	105.2
Com	79	227	2/	/12	S	. 134	248	.81	.75	24.5	42.6	10.4	5.4	23.0	19.4	24.9	28.6*	95.4	0.9	1.0	1.4	40.0	.35	2.92	111.45	90.8
Com	80	229	2/	/12	S	. 128	254	.90	.82	27.3	46.8	12.8	6.3	23.9*	19.5	25.4*	27.4	93.0	0.9	1.0	1.1	38.0	.38	3.00	122.60	99.9
Com	81	230	2/	/12	S	. 132	248	.83	.77	22.4	48.2	10.8	5.4	23.3	19.1	25.4*	28.0*	94.8	0.9	1.1	1.2	41.0	.36	2.57	113.03	92.1

\* after a value indicates reason this ram was not eligible for certification