



For Immediate Release
May 13, 2020

Rabbit Hemorrhagic Disease in Texas

Situational Update #3

AUSTIN, TX – Since May 6, 2020, the Texas Animal Health Commission (TAHC) has received two new confirmations of rabbit hemorrhagic disease virus 2 (RHDV2) in domestic rabbits on one Lubbock County premises and one Midland County premises. In Texas, RHDV2 has been confirmed in domestic rabbits in the following counties: El Paso, Hamilton, Hockley, Lampasas, Lubbock and Midland.

RHDV2 is a fatal, viral disease that affects both domestic and wild rabbits, including hares, jackrabbits and cottontails. It does not affect humans, or other animal species.


"The Commission would like to remind all rabbit owners and breeders to maintain robust biosecurity practices on their farms and in their homes," said Dr. Andy Schwartz, State Veterinarian and TAHC Executive Director.

Texas veterinarians have succeeded in coming closer to securing the European RHDV2 vaccination in an effort to protect and prevent the spread of this foreign rabbit disease.

"The TAHC will continue to work hard to quickly approve private veterinarians to import the vaccine from overseas. We are hopeful Texas veterinarians will begin to receive the vaccine in the next two to three weeks and the vaccination process can begin. Once vaccination occurs, rabbit owners must continue those strong biosecurity practices to protect the health of their rabbits," said Schwartz.

The Texas Parks and Wildlife Department (TPWD) has confirmed RHDV2 in the wild rabbit population. "We continue to receive reports of dead rabbits in the Trans Pecos and Panhandle regions of the state," said Dr. Bob Dittmar, TPWD wildlife veterinarian. "If people notice sick or dead wild rabbits, they should contact their [local TPWD wildlife biologist](#). To learn more about RHDV2 in wild rabbits, visit the [TPWD website](#).

This highly contagious foreign animal disease spreads between rabbits through contact with infected rabbits or carcasses, their meat or fur, or contact with contaminated food, water, or materials. RHDV2 can persist in the environment for a very long time. These factors make disease control efforts extremely challenging once it is in the wild rabbit populations.



2020 Texas RHDV2 Confirmations		
Texas County	Domestic Rabbit Premises	Wild Rabbits
El Paso	2	1
Hamilton	1	0
Hockley	1	1
Hudspeth	0	1
Jeff Davis	0	1
Lampasas	1	0
Lubbock	1	1
Midland	1	0
Pecos	0	2
Randall	0	1
Terrell	0	1



"The TAHC encourages rabbit owners to keep their rabbits secure at home and cease all unnecessary movement of rabbits to aid in preventing further exposure to or transmission of the virus," said Dr. Susan Rollo, State Epidemiologist. "States like California are beginning to enforce movement restrictions on rabbits entering from other RHDV2 infected states. So, if you have plans for interstate movement, be sure to call the state of destination for any specific entry requirements. "

Protecting Your Rabbits with Biosecurity

The following procedures can reduce the chance of RHDV2 and other contagious diseases from affecting domestic rabbits. For a printable version, [click here](#).

- House rabbits indoors if possible.
- Do not allow pet, feral, or wild rabbits to come in contact with your rabbits or gain entry to the facility or home.
- Always wash your hands with warm, soapy water between pens and before and after entering your rabbit area.
- Keep a closed rabbitry. Do not introduce new rabbits from unknown or untrusted sources.
- If you bring new rabbits into your facility or home, keep them separated from your existing rabbits. Use separate equipment for newly acquired or sick rabbits to avoid spreading disease.
- Control flies, rats, cats, dogs, birds, etc. that can physically move the virus around on their feet or body.
- Do not collect outdoor forage and browse to feed rabbits since it may be contaminated.
- Remove brush, grass, weeds, trash, and debris from the rabbitry to reduce rodents.
- Protect feed from contamination by flies, birds, rodents, etc.
- Remove and properly dispose (i.e. bury or incinerate) of dead rabbits promptly.
- When moving rabbits or restocking pens disinfect all equipment and cages with 10% bleach mixed with water or other approved products. Properly dispose of bedding. Items made of wood are difficult to disinfect and best discarded.
- Breeders should review their biosecurity plans for gaps and all rabbit owners should establish a working relationship with a veterinarian to review biosecurity practices for identification and closure of possible gaps.

Rabbit owners who have questions about RHDV2 or observe sudden death in their rabbits should contact their private veterinarian. Private veterinarians are requested to contact the USDA-APHIS or the TAHC to report any suspected cases at 1-800-550-8242. Report all unusual mass morbidity (sickness) or mortality (deaths) events to the TAHC.

Visit https://www.tahc.texas.gov/animal_health/rabbits/ for more information and resources on rabbit hemorrhagic disease. The TAHC will send weekly RHDV2 updates as long as confirmations are received. To receive updates, subscribe to the rabbit email distribution list [here](#).

###

The Texas Animal Health Commission (TAHC) was established in 1893 as the Livestock Sanitary Commission and charged with protecting the state's domestic animals "from all contagious or infectious diseases of a malignant character." TAHC remains true to this charge while evolving with the times to protect the health and marketability of all Texas livestock and poultry. Learn more about the TAHC by visiting www.tahc.texas.gov.